# 1900 E. Golf Rd, Suite 950, Schaumburg, IL 60173 Tel: (630) 948-7498 www.BuildStarr.com info@buildstarr.com

#### Kitchen Faucets Pricing

Item No.	Picture	Drawing	Specifications	Surface Finishing
GCS05-CHR		91 [3 9/16"]	Spring pull out kitchen faucet with deck plate  1. Low-lead solid brass construction  2. Ceramic cartridge lifetime: over 500,000 times  3. SS 304 water inlet hose: 2pcs, 70cm(27.5inch) length  4. Swiveling spout, pull out sprayer with a bottom for dual sprayer control(stream or spray)  5. cUPC&NSF&AB1953&CEC certified	Chrome Polished
GCS05-BN				Brushed Nickel
GCS05-MB		59 12 5/16 249 19 13/16 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Matte Black
GCS07-CHR-S			Spring pull out kitchen faucet  1. Low-lead solid brass construction  2. Ceramic cartridge lifetime: over 500,000 times  3. SS 304 water inlet hose: 2pcs, 70cm(27.5inch) length	Chrome Polished
GCS07-BN-S		205 (8 1/16*)		Brushed Nickel
GCS07-MB-S		Ø52 [2 1/16 <sup>-1</sup> ]	<ul><li>4. Swiveling spout, pull out sprayer with a bottom for dual sprayer control(stream or spray)</li><li>5. cUPC&amp;NSF&amp;AB1953&amp;CEC certified</li></ul>	Matte Black
GCS07-CHR			Spring pull out kitchen faucet  1. Low-lead solid brass construction  2. Ceramic cartridge lifetime: over 500,000 times  3. SS 304 water inlet hose: 2pcs, 70cm(27.5inch) length	Chrome Polished
GCS07-BN		87 92 E99		Brushed Nickel
GCS07-MB		196 [7 11/16 <sup>-1</sup> ]	<ul><li>4. Swiveling spout, pull out sprayer with a bottom for dual sprayer control(stream or spray)</li><li>5. cUPC&amp;NSF&amp;AB1953&amp;CEC certified</li></ul>	Matte Black
GCS08-CHR-A	dat.	105 (0 102)	Kitchen faucet 1. Low-lead solid brass construction	Chrome Polished
GCS08-BN-A		62 [3 587] 62 [3 587] 62 [3 587] 62 [3 587] 62 [3 587]	<ul><li>2. Ceramic cartridge lifetime: over 500,000 times</li><li>3. SS 304 water inlet hose: 2pcs, 70cm(27.5inch) length</li></ul>	Brushed Nickel
GCS08-MB-A		MAX36(130) 50 (130)(6)	4. Swiveling spout 5. cUPC&NSF&AB1953&CEC certified	Matte Black
GCS10-CHR		Spring kitchen faucet, could not pull out	Spring kitchen faucet, could not pull out  1. Low-lead solid brass construction	Chrome Polished
GCS10-BN			<ul><li>2. Ceramic cartridge lifetime: over 500,000 times</li><li>3. SS 304 water inlet hose: 2pcs, 70cm(27.5inch) length</li></ul>	Brushed Nickel
GCS10-MB		002 [2 1710]	<ul><li>4. Swiveling spout, sprayer with a bottom for dual sprayer control(stream or spray)</li><li>5. cUPC&amp;NSF&amp;AB1953&amp;CEC certified</li></ul>	Matte Black
GCS10-CHR-A		1. Low-lead so 2. Ceramic ca 3. SS 304 wat 4. Swiveling sp	Spring kitchen faucet, could not pull out  1. Low-lead solid brass construction  2. Ceramic cartridge lifetime: over 500,000 times  3. SS 304 water inlet hose: 2pcs, 70cm(27.5inch) length	Chrome Polished
GCS10-BN-A				Brushed Nickel
GCS10-MB-A			<ul><li>4. Swiveling spout, sprayer with a bottom for dual sprayer control(stream or spray)</li><li>5. cUPC&amp;NSF&amp;AB1953&amp;CEC certified</li></ul>	Matte Black

## 1900 E. Golf Rd, Suite 950, Schaumburg, IL 60173 Tel: (630) 948-7498 www.BuildStarr.com info@buildstarr.com

#### Kitchen Faucets Pricing

Item No.	Picture	Drawing	Specifications	Surface Finishing
GCS11-CHR		(1.91/11 51) 668 (2.91/11 51) 668 (2.91/11 51) 668 (2.91/11 51) 668 (3.91/11 51) 668 (3.91/11 51) 668 (4.91/11 51) 668 (5.91/11 51) 668 (6.91/11 51) 668 (7.91/11 51) 668 (7.91/	Pull out kitchen faucet  1. Low-lead solid brass construction  2. Ceramic cartridge lifetime: over 500,000 times  3. SS 304 water inlet hose: 2pcs, 70cm(27.5inch) length  4. Swiveling spout, pull out sprayer with a bottom for dual sprayer control(stream or spray)  5. cUPC&NSF&AB1953&CEC certified	Chrome Polished
GCS11-BN				Brushed Nickel
GCS11-MB				Matte Black
GCS11-CHR-A		239(9 7/16")	Pull out kitchen faucet  1. Low-lead solid brass construction	Chrome Polished
GCS11-BN-A		83[3.1/4"]	<ul><li>2. Ceramic cartridge lifetime: over 500,000 times</li><li>3. SS 304 water inlet hose: 2pcs, 70cm(27.5inch) length</li></ul>	Brushed Nickel
GCS11-MB-A			<ol> <li>Swiveling spout, pull out sprayer with a bottom for dual sprayer control(stream or spray)</li> <li>cUPC&amp;NSF&amp;AB1953&amp;CEC certified</li> </ol>	Matte Black
GCS11-CHR-B		283 [16 367]	Pull out kitchen faucet 1. Stainless steel 304 2. Ceramic cartridge lifetime: over 500,000 times 3. SS 304 water inlet hose: 2pcs, 70cm(27.5inch) length 4. Swiveling spout, pull out sprayer with a bottom for dual sprayer control(stream or spray) 5. cUPC&NSF&AB1953&CEC certified	Chrome Polished
GCS11-BN-B		200 to 10 to		Brushed Nickel
GCS11-MB-B				Matte Black
GCS13-CHR		399 113 11/16°1 50 [6 11/16°1] 50 [6 11/16°1] 51 [5 15/16°1]	Pull out kitchen faucet 1. Low-lead solid brass construction 2. Ceramic cartridge lifetime: over 500,000 times 3. SS 304 water inlet hose: 2pcs, 70cm(27.5inch) length 4. Swiveling spout, pull out sprayer with a bottom for dual sprayer control(stream or spray) 5. cUPC&NSF&AB1953&CEC certified	Chrome Polished
GCS13-BN				Brushed Nickel
GCS13-MB		Ø54 [2 1/8"] 83 [3 1/4"]		Matte Black
GCS13-CHR-A		1.9	Pull out kitchen faucet  1. Low-lead solid brass construction	Chrome Polished
GCS13-BN-A		239 [9 3/8 <sup>1</sup> ] 239 [9 3/8 <sup>1</sup> ] 239 [9 3/8 <sup>1</sup> ] 239 [9 3/8 <sup>1</sup> ] 239 [9 3/8 <sup>1</sup> ]	<ul><li>2. Ceramic cartridge lifetime: over 500,000 times</li><li>3. SS 304 water inlet hose: 2pcs, 70cm(27.5inch) length</li></ul>	Brushed Nickel
GCS13-MB-A		85 [5 1/4]	<ol> <li>Swiveling spout, pull out sprayer with a bottom for dual sprayer control(stream or spray)</li> <li>cUPC&amp;NSF&amp;AB1953&amp;CEC certified</li> </ol>	Matte Black
GCS13-CHR-B		1. L 2. C 3. S 4. S	Pull out kitchen faucet  1. Low-lead solid brass construction  2. Ceramic cartridge lifetime: over 500,000 times  3. SS 304 water inlet hose: 2pcs, 70cm(27.5inch) length  4. Swiveling spout, pull out sprayer with a bottom for dual sprayer control(stream or spray)  5. cUPC&NSF&AB1953&CEC certified	Chrome Polished
GCS13-BN-B				Brushed Nickel
GCS13-MB-B				Matte Black

## 1900 E. Golf Rd, Suite 950, Schaumburg, IL 60173 Tel: (630) 948-7498 www.BuildStarr.com info@buildstarr.com

#### Kitchen Faucets Pricing

Item No.	Picture	Drawing	Specifications	Surface Finishing
GCS17-CHR		72 [2 7/8"]	Pull out kitchen faucet with deck plate and soap dispensor  1. Low-lead solid brass construction  2. Ceramic cartridge lifetime: over 500,000 times  3. SS 304 water inlet hose: 2pcs, 70cm(27.5inch) length	Chrome Polished
GCS17-BN				Brushed Nickel
GCS17-MB		249 [9 13/16"]	<ul><li>4. Swiveling spout, pull out sprayer with a bottom for dual sprayer control(stream or spray)</li><li>5. cUPC&amp;NSF&amp;AB1953&amp;CEC certified</li></ul>	Matte Black
GCS17-CHR-N			Pull out kitchen faucet  1. Low-lead solid brass construction  2. Ceramic cartridge lifetime: over 500,000 times  3. SS 304 water inlet hose: 2pcs, 70cm(27.5inch) length	Chrome Polished
GCS17-BN-N		200 (2007)		Brushed Nickel
GCS17-MB-N		160 N	<ul><li>4. Swiveling spout, pull out sprayer with a bottom for dual sprayer control(stream or spray)</li><li>5. cUPC&amp;NSF&amp;AB1953&amp;CEC certified</li></ul>	Matte Black
GCS20-CHR		249 [9 13/16 <sup>-</sup> ]  198 [/ 13/16 <sup>-</sup> ]  59 [2 5/16 <sup>-</sup> ]  74  59 [2 5/16 <sup>-</sup> ]  75  75  75  75  75  75  75  75  75  7	Pull out kitchen faucet with deck plate  1. Low-lead solid brass construction  2. Ceramic cartridge lifetime: over 500,000 times  3. SS 304 water inlet hose: 2pcs, 70cm(27.5inch) length  4. Swiveling spout, pull out sprayer with a bottom for dual sprayer control(stream or spray)  5. cUPC&NSF&AB1953&CEC certified	Chrome Polished
GCS20-BN				Brushed Nickel
GCS20-MB				Matte Black
GCS22-CHR		240 (0 15/M <sup>2</sup> )  212 (8 M <sup>2</sup> )  212 (8 M <sup>2</sup> )  50 (2 King)	Pull out kitchen faucet with deck plate  1. Low-lead solid brass construction  2. Ceramic cartridge lifetime: over 500,000 times  3. SS 304 water inlet hose: 2pcs, 70cm(27.5inch) length  4. Swiveling spout, pull out sprayer with a bottom for dual sprayer control(stream or spray)  5. cUPC&NSF&AB1953&CEC certified	Chrome Polished
GCS22-BN				Brushed Nickel
GCS22-MB		# #		Matte Black
GCS23-CHR		<b>A CO C C C C C C C C C C</b>	Pull out kitchen faucet with deck plate  1. Low-lead solid brass construction 2. Ceramic cartridge lifetime: over 500,000 times 3. SS 304 water inlet hose: 2pcs, 70cm(27.5inch) length	Chrome Polished
GCS23-BN		249 [9 13/16] 206 [8 1/8] 20		Brushed Nickel
GCS23-MB		59 (2-5/16")	<ul><li>4. Swiveling spout, pull out sprayer with a bottom for dual sprayer control(stream or spray)</li><li>5. cUPC&amp;NSF&amp;AB1953&amp;CEC certified</li></ul>	Matte Black
GCS24-CHR		1. Low 2. Cera 3. SS 3 4. Swiv	Pull out kitchen faucet 1. Low-lead solid brass construction 2. Ceramic cartridge lifetime: over 500,000 times 3. SS 304 water inlet hose: 2pcs, 70cm(27.5inch) length 4. Swiveling spout, pull out sprayer with a bottom for dual sprayer control(stream or spray) 5. cUPC&NSF&AB1953&CEC certified	Chrome Polished
GCS24-BN				Brushed Nickel
GCS24-MB				Matte Black

## 1900 E. Golf Rd, Suite 950, Schaumburg, IL 60173 Tel: (630) 948-7498 www.BuildStarr.com info@buildstarr.com

### Kitchen Faucets Pricing

Item No.	Picture	Drawing	Specifications	Surface Finishing
GCS24-CHR-A		200 [19 5/16] 200 [19 3/4]	Pull out kitchen faucet  1. Low-lead solid brass construction  2. Ceramic cartridge lifetime: over 500,000 times  3. SS 304 water inlet hose: 2pcs, 70cm(27.5inch) length  4. Swiveling spout, pull out sprayer with a bottom for dual sprayer control(stream or spray)  5. cUPC&NSF&AB1953&CEC certified	Chrome Polished
GCS24-BN-A				Brushed Nickel
GCS24-MB-A				Matte Black
GCS37S2-CHR-A		24(R.1917)	Kitchen faucet with deck plate  1. Handle: zinc alloy, faucet body: low-lead brass deck plate: stainless steel 304  2. Ceramic cartridge lifetime: over 500,000 times  3. SS 304 water inlet hose: 2pcs, 70cm(27.5inch) length	Chrome Polished
GCS37S2-BN-A				Brushed Nickel
GCS37S2-MB-A				Matte Black
GCS37S2-CHR			Kitchen faucet with deck plate	Chrome Polished
GCS37S2-BN			<ol> <li>Handle: zinc alloy, faucet body: low-lead brass deck plate: stainless steel 304</li> <li>Ceramic cartridge lifetime: over 500,000 times</li> <li>SS 304 water inlet hose: 2pcs, 70cm(27.5inch) length</li> </ol>	Brushed Nickel
GCS37S2-MB				Matte Black
GCS33-CHR		195 [7 11/16*] 195 [7 11/16*] 195 [7 11/16*] 195 [3 5/16*]	Kitchen faucet  1. Low-lead solid brass construction  2. Ceramic cartridge lifetime: over 500,000 times  3. SS 304 water inlet hose: 2pcs, 70cm(27.5inch) length  4. Swiveling spout  5. cUPC&NSF&AB1953&CEC certified	Chrome Polished
GCS33-BN				Brushed Nickel
GCS33-MB				Matte Black
GCSH03-CHR		57 [2 1/4] 70 [2 3/4] 148 [5 13/16] 10 0 142 [2 13/	Dual handles 8" widespread basin faucet 1. Low-lead solid brass construction 2. Ceramic cartridge lifetime: over 500,000 times 3. SS 304 hose: 2pcs 4. Matching drain included( with Rod Adjustment) 5. cUPC&NSF&AB1953&WaterSense&CEC certified	Chrome Polished
GCSH03-BN				Brushed Nickel
GCSH03-ORB				Matte Black
GCSH04-CHR		171 (6 3/47)	Dual handles 8" widespread basin faucet  1. Low-lead solid brass construction  2. Ceramic cartridge lifetime: over 500,000 times  3. SS 304 hose: 2pcs  4. cUPC&NSF&AB1953&WaterSense&CEC certified	Chrome Polished
GCSH04-BN				Brushed Nickel
GCSH04-ORB				Matte Black
	The Kitchen	Faucets can	only be ordered when you order our other products	<u> </u>

1900 E. Golf Rd, Suite 950, Schaumburg, IL 60173 Tel: (630) 948-7498 www.BuildStarr.com info@buildstarr.com

#### Kitchen Faucets Pricing

Item No.	Picture	Drawing	Specifications	Surface Finishing
GCSH12-CHR		045 [1 3/47] 052 [2 1)16"] 179 [7 1)76"] 199 [10 1)76"] 179 [7 1)76"] 170 [7 1)76"] 170 [7 1)76"] 170 [7 1)76"] 170 [7 1)76"] 170 [7 1)76"] 170 [7 1)76"] 170 [7 1)76"] 170 [7 1)76"] 170 [7 1)76"] 170 [7 1)76"] 170 [7 1)76"] 170 [7 1)76"] 170 [7 1)76"] 170 [7 1)76"] 170 [7 1)76"] 170 [7 1)76"] 170 [7 1)76"] 170 [7 1)76"] 170 [7 1)76"] 17	Dual handles 8" widespread basin faucet  1. Low-lead solid brass construction  2. Ceramic cartridge lifetime: over 500,000 times  3. SS 304 hose: 2pcs  4. cUPC&NSF&AB1953&WaterSense&CEC certified	Chrome Polished
GCSH12-BN				Brushed Nickel
GCSH12-MB				Matte Black
GCSH13-CHR		057 [2 ]/4"] 72 [2 7/8"] 955 [2 3/16"] 97 [2 1/4"] 98	Dual handles 8" widespread basin faucet  1. Low-lead solid brass construction  2. Ceramic cartridge lifetime: over 500,000 times  3. SS 304 hose: 2pcs  4. cUPC&NSF&AB1953&WaterSense&CEC certified	Chrome Polished
GCSH13-BN				Brushed Nickel
GCSH13-MB		1/2-14NPSIA 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Matte Black
GCSH14-CHR		126 [4 15/167]	Dual handles 8" widespread basin faucet	Chrome Polished
GCSH14-BN		020 15 7921 020 1	<ol> <li>Low-lead solid brass construction</li> <li>Ceramic cartridge lifetime: over 500,000 times</li> <li>SS 304 hose: 2pcs</li> </ol>	Brushed Nickel
GCSH14-MB		1/2-14NHSM () () () () () () () () () () () () ()	4. cUPC&NSF&AB1953&WaterSense&CEC certified	Matte Black
GCSH15-CHR		053 [2 1/8*]  053 [2 1/8*]  072 [2 1/8*]  1/2-14NPSM	Dual handles 8" widespread basin faucet  1. Low-lead solid brass construction  2. Ceramic cartridge lifetime: over 500,000 times  3. SS 304 hose: 2pcs  4. Matching drain included( with Rod Adjustment)  5. cUPC&NSF&AB1953&WaterSense&CEC certified	Chrome Polished
GCSH15-BN				Brushed Nickel
GCSH15-MB				Matte Black
GCSH25-CHR		113(47/9)	Dual handles 8" widespread basin faucet  1. Low-lead solid brass construction  2. Ceramic cartridge lifetime: over 500,000 times  3. SS 304 hose: 2pcs  4. cUPC&NSF&AB1953&WaterSense&CEC certified	Chrome Polished
GCSH25-BN		46-61 (3-47)		Brushed Nickel
GCSH25-MB		20m		Matte Black
GCSH27-CHR		68 [2 11/16*]  58 [2 5/16*]  45w45 [1 3/4*]  113 [4 7/16*]  57 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Dual handles 8" widespread basin faucet  1. Low-lead solid brass construction  2. Ceramic cartridge lifetime: over 500,000 times  3. SS 304 hose: 2pcs  4. cUPC&NSF&AB1953&WaterSense&CEC certified	Chrome Polished
GCSH27-BN				Brushed Nickel
GCSH27-ORB				Oil Rubbed Bronze
GCSD1-CHR		1. Bathroom Sink Faucet Hole Cover Plate 2. 250mm long x 5mm wide (35mm diameter center hole) 3. plastic gasket / bushing included	2. 250mm long x 5mm wide (35mm diameter center hole)	Chrome Polished
GCSD1-BN				Brushed Nickel
GCSD1-MB				Matte Black